

## Issues

| #    | Project  | Tracker | Status | Priority | Subject  | Author           | Assignee          | Target version |
|------|----------|---------|--------|----------|--|------------------|-------------------|----------------|
| 4778 | TestBase | Task    | Open   | Urgent   | Low-level interface for adding test situations (named constraints)                     | Alexander Kamkin | Andrei Tatarnikov | 0.0            |
| 4804 | TestBase | Task    | New    | Normal   | Manual description of test situations in Java and XML                                  | Alexander Kamkin | Andrei Tatarnikov | 0.0            |
| 4805 | TestBase | Task    | New    | Normal   | Top-level test situations of instructions  | Alexander Kamkin | Andrei Tatarnikov | 0.0            |
| 5529 | Fortress | Task    | New    | High     | Использовать префиксы для указания основания в строковом представлении числовых данных | Artem Kotsynyak  | Andrei Tatarnikov | 0.4            |
| 5421 | Fortress | Task    | Open   | Normal   | Utility methods on expression nodes  | Artem Kotsynyak  | Andrei Tatarnikov | 0.4            |
| 5596 | Fortress | Feature | New    | Low      | Генерация случайных значений, удовлетворяющих определённым условиям                    | Igor Melnichenko | Andrei Tatarnikov | 0.4            |
| 7561 | Fortress | Task    | New    | Normal   | ISampleConstraint: 'getExpectedVariables' returns value that is ignored in junit tests | Sergey Smolov    | Andrei Tatarnikov | 0.4            |