

Issues

| # | Project | Tracker | Status | Priority | Subject | Author | Assignee | Target version |
|------|----------|---------|--------|----------|--|------------------|-------------------|----------------|
| 4778 | TestBase | Task | Open | Urgent | Low-level interface for adding test situations (named constraints) | Alexander Kamkin | Andrei Tatarnikov | 0.0 |
| 4804 | TestBase | Task | New | Normal | Manual description of test situations in Java and XML | Alexander Kamkin | Andrei Tatarnikov | 0.0 |
| 4805 | TestBase | Task | New | Normal | Top-level test situations of instructions | Alexander Kamkin | Andrei Tatarnikov | 0.0 |
| 5421 | Fortress | Task | Open | Normal | Utility methods on expression nodes | Artem Kotsynyak | Andrei Tatarnikov | 0.4 |
| 5529 | Fortress | Task | New | High | Использовать префиксы для указания основания в строковом представлении числовых данных | Artem Kotsynyak | Andrei Tatarnikov | 0.4 |
| 5596 | Fortress | Feature | New | Low | Генерация случайных значений, удовлетворяющих определённым условиям | Igor Melnichenko | Andrei Tatarnikov | 0.4 |
| 7561 | Fortress | Task | New | Normal | ISampleConstraint: 'getExpectedVariables' returns value that is ignored in junit tests | Sergey Smolov | Andrei Tatarnikov | 0.4 |