Issues

5708Mem CESKBugCleadImmediateMemorates Nacional Science Symbol Changes is not definedAndrei TatarnikovAnten Kotsynyak.215778Mikor ESKTaskCloadUrgentSupport for name branches in ISA specificationsAndrei TatarnikovAndrei TatarnikovA	#	Project	Tracker	Status	Priority	Subject	Author	Assignee	Target version
6666 MoroTESK Task Closed Urgent Estimate generation speed Andrei Tatamikov Alexander Kamkin 2.1 4896 MicroTESK Bug Closed Normal Irranslator) It should be possible to define the "instruction" operation (root) as Andrei Tatamikov Andrei Tatamikov Andrei Tatamikov Andrei Tatamikov 2.1 4283 MicroTESK Bug Closed High Itranslator/ Support for ustom attributes in operations and addressing Andrei Tatamikov Andrei Tatamikov Andrei Tatamikov 2.1 4281 MicroTESK Bug Closed High Itranslator/ Support for aliases in memory (aka mem) definitions. Andrei Tatamikov Andrei Tatamikov Andrei Tatamikov 2.1 4283 MicroTESK Bug Closed Normal (Inodol Laxy memory allocation in memory models Andrei Tatamikov Andrei Tatamikov Andrei Tatamikov 2.2 5674 MicroTESK Task Closed Urgent Memory satability for large memory ranges (address space for 48 and 64 bit) Andrei Tatamikov Andrei Tatamikov Andrei Tatamikov 2.2	5708	MicroTESK	Bug	Closed	Immediate	MicroTESK build fails: SsaAssembler - symbol Changes is not defined	Andrei Tatarnikov	Artem Kotsynyak	2.1
4996McroTESKBugClosedNormalItranslator I is should be possible to define the "instruction" operation (noot) a an O FulaAndrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.14283McroTESKTaskClosedNormalItranslator] is should be possible to define the "instruction" operation (noot) a mode.Andrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.14281McroTESKTaskClosedHighItranslator] support for subsom attributes in operations and addressing modes.Andrei TatarnikovAndrei Tatarnikov2.15973McroTESKBugClosedHighHadming shuatons when TesBase fails to generate test data (e.g. constrain to UNSAT).Andrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25674McroTESKTaskClosedUrgentBeocription of test data generation mechanisms (test situation processing, constraint schring)Andrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25672McroTESKTaskClosedUrgentSupport for UNPREDICTED and UNDEFINEDAndrei TatarnikovAndrei Tatarnikov2.25683McroTESKBugRejectedUrgentSoupport for UNPREDICTED and UNDEFINEDAndrei TatarnikovAndrei Tatarnikov2.25684McroTESKBugRejectedHighFunction trace should accept addressing modes as argumentsAndrei TatarnikovAndrei Tatarnikov2.25685McroTESKBugRejectedHighFunction trace should accept add	5678	MicroTESK	Task	Closed	Urgent	Support for named branches in ISA specifications	Andrei Tatarnikov	Andrei Tatarnikov	2.1
InstructInstructInstructIn OR huleIn OR huleInstructIns	5666	MicroTESK	Task	Closed	Urgent	Estimate generation speed	Andrei Tatarnikov	Alexander Kamkin	2.1
Index	4996	MicroTESK	Bug	Closed	Normal		Andrei Tatarnikov	Andrei Tatarnikov	2.1
Atten MicroTESK Task Closed Normal Imodel] Lazy memory allocation in memory models Andrei Tatarnikov Andrei Tatarnikov 2.1 5987 MicroTESK Bug Closed High Handling situations when TestBase fails to generate test data (e.g. constraint Andrei Tatarnikov Andrei Tatarnikov 2.2 5674 MicroTESK Task Rejected Normal Description of test data generation mechanisms (test situation processing, constraint solving) Andrei Tatarnikov Alexander Kamkin 2.2 5673 MicroTESK Task Closed Urgent Support for UNPREDICTED and UNDEFINED Andrei Tatarnikov Andrei Tatarnikov 2.2 5671 MicroTESK Bug Rejected Urgent Support for UNPREDICTED and UNDEFINED Andrei Tatarnikov Andrei Tatarnikov 2.2 5671 MicroTESK Bug Rejected High Function Trace' should accept addressing modes as arguments Andrei Tatarnikov Andrei Tatarnikov 2.2 5661 MicroTESK Bug Rejected High Eucrotion Trace' should accept addressing modes as arguments Andrei Tatarnikov Andrei Tatarnikov 2.2 56	4283	MicroTESK	Task	Closed	Normal		Andrei Tatarnikov	Andrei Tatarnikov	2.1
Separation MicroTESK Bug Closed High Handing situations when TestBase fails to generate test data (e.g. constraint Andrei Tatarnikov Andrei Tatarnikov 2.2 5674 MicroTESK Task Rejected Normal Description of test data generation mechanisms (test situation processing, constraint solving) Andrei Tatarnikov Alexander Kamkin 2.2 5673 MicroTESK Task Closed Urgent Memory scalability for large memory ranges (address space for 48 and 64 bit addresses) Andrei Tatarnikov Andrei Tata	4281	MicroTESK	Bug	Closed	High	[translator] Support for aliases in memory (aka mem) definitions.	Andrei Tatarnikov	Andrei Tatarnikov	2.1
Index	4116	MicroTESK	Task	Closed	Normal	[model] Lazy memory allocation in memory models	Andrei Tatarnikov	Andrei Tatarnikov	2.1
IncomeIncomeIncomeConstraint solving)Income<	5987	MicroTESK	Bug	Closed	High		Andrei Tatarnikov	Andrei Tatarnikov	2.2
AndrewAndre	5674	MicroTESK	Task	Rejected	Normal		Andrei Tatarnikov	Alexander Kamkin	2.2
MicroTESKBugRejectedUrgentRobustness of test template processing logic must be improvedAndrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25668MicroTESKBugClosedImmediateIssues with large memory addresses (48 and 64 bits) must be fixedAndrei TatarnikovAndrei Tatarnikov2.25659MicroTESKBugRejectedHighFunction 'trace' should accept addressing modes as argumentsAndrei TatarnikovAndrei Tatarnikov2.25658MicroTESKTaskClosedNormalNeed a single entry point for the translator and test generator subsystemAndrei TatarnikovAndrei Tatarnikov2.25650MicroTESKBugRejectedHighException when no test situation is specified.Andrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25651MicroTESKTaskClosedHighCreating instances of modes and ops: validity checks for arguments are neededAndrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25642MicroTESKBugClosedHighThe implementation of 'coerce' needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25630MicroTESKTaskClosedHighThe sequence generation logic (blocks, combinators, compositors) needs a reviewAndrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25630MicroTESKTaskClosedHighLabels in the text of instruction callsAndrei TatarnikovAndrei Tatarnikov2.2 <td>5673</td> <td>MicroTESK</td> <td>Task</td> <td>Closed</td> <td>Urgent</td> <td></td> <td>Andrei Tatarnikov</td> <td>Andrei Tatarnikov</td> <td>2.2</td>	5673	MicroTESK	Task	Closed	Urgent		Andrei Tatarnikov	Andrei Tatarnikov	2.2
5668MicroTESKBugClosedImmediateIssues with large memory addresses (48 and 64 bits) must be fixedAndrei TatarnikovAndrei Tatarnikov2.25659MicroTESKBugRejectedHighFunction 'trace' should accept addressing modes as argumentsAndrei TatarnikovAndrei Tatarnikov2.25650MicroTESKTaskClosedNormalNeed a single entry point for the translator and test generator subsystemAndrei TatarnikovAndrei Tatarnikov2.25650MicroTESKBugRejectedHighException when no test situation is specified.Andrei TatarnikovAndrei TatarnikovAlexander Protsenko2.25639MicroTESKTaskClosedHighCode review notes (package ru.ispras.unitesk.processor.test.mmu)Andrei TatarnikovAlexander Protsenko2.25542MicroTESKBugClosedHighThe implementation of 'coerce' needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25403MicroTESKTaskClosedNormalTest sequence generation logic (blocks, combinators, compositors) needs a reviewAndrei TatarnikovAlexander Kamkin2.25430MicroTESKTaskClosedHighLabels in the text of instruction callsAndrei TatarnikovAndrei Tatarnikov2.25440MicroTESKTaskClosedHighLabels in the text of instruction callsAndrei TatarnikovAndrei Tatarnikov2.25454MicroTESKTaskClosedHighPrinting informatio	5672	MicroTESK	Task	Closed	Urgent	Support for UNPREDICTED and UNDEFINED	Andrei Tatarnikov	Artem Kotsynyak	2.2
6659MicroTESKBugRejectedHighFunction 'trace' should accept addressing modes as argumentsAndrei TatarnikovAndrei Tatarnikov2.25658MicroTESKTaskClosedNormalNeed a single entry point for the translator and test generator subsystemAndrei TatarnikovAndrei Tatarnikov2.25650MicroTESKBugRejectedHighException when no test situation is specified.Andrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25639MicroTESKTaskClosedHighCode review notes (package ru.ispras.unitesk.processor.test.mmu)Andrei TatarnikovAlexander Protsenko2.25542MicroTESKBugClosedHighThe implementation of 'coerce' needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25543MicroTESKBugClosedHighThe implementation of 'coerce' needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25544MicroTESKBugClosedHighThe implementation of coerce' needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25543MicroTESKTaskClosedNormalTest sequence generation logic (blocks, combinators, compositors) needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25544MicroTESKTaskClosedHighLabels in the text of instruction callsAndrei TatarnikovAndrei Tatarnikov2.25545MicroTESKTaskClosedHighPrinting information on argument types an	5671	MicroTESK	Bug	Rejected	Urgent	Robustness of test template processing logic must be improved	Andrei Tatarnikov	Andrei Tatarnikov	2.2
AddreiTaskClosedNormalNeed a single entry point for the translator and test generator subsystemAndrei TatarnikovAndrei Tatarnikov2.25650MicroTESKBugRejectedHighException when no test situation is specified.Andrei TatarnikovAndrei TatarnikovAldrei Tatarnikov2.25639MicroTESKTaskClosedHighCode review notes (package ru.ispras.unitesk.processor.test.mmu)Andrei TatarnikovAlexander Protsenko2.25542MicroTESKBugClosedHighCreating instances of modes and ops: validity checks for arguments are neededAndrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25514MicroTESKBugClosedHighThe implementation of 'coerce' needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25403MicroTESKTaskClosedHighTest sequence generation logic (blocks, combinators, compositors) needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25300MicroTESKTaskClosedHighLabels in the text of instruction callsAndrei TatarnikovAndrei Tatarnikov2.25344MicroTESKTaskClosedHighPrinting information on the model should be possibleAndrei TatarnikovAndrei Tatarnikov2.25441MicroTESKTaskRejectedHighPrinting information on the model should be possibleAndrei TatarnikovAndrei Tatarnikov2.25444MicroTESKTaskRejectedHigh </td <td>5668</td> <td>MicroTESK</td> <td>Bug</td> <td>Closed</td> <td>Immediate</td> <td>Issues with large memory addresses (48 and 64 bits) must be fixed</td> <td>Andrei Tatarnikov</td> <td>Andrei Tatarnikov</td> <td>2.2</td>	5668	MicroTESK	Bug	Closed	Immediate	Issues with large memory addresses (48 and 64 bits) must be fixed	Andrei Tatarnikov	Andrei Tatarnikov	2.2
5650MicroTESKBugRejectedHighException when no test situation is specified.Andrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25639MicroTESKTaskClosedHighCode review notes (package ru.ispras.unitesk.processor.test.mmu)Andrei TatarnikovAlexander Protsenko2.25542MicroTESKBugClosedHighCreating instances of modes and ops: validity checks for arguments are neededAndrei TatarnikovAndrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25543MicroTESKBugClosedHighThe implementation of 'coerce' needs a reviewAndrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25403MicroTESKTaskClosedNormalTest sequence generation logic (blocks, combinators, compositors) needs a reviewAndrei TatarnikovAndrei TatarnikovAlexander Kamkin2.25350MicroTESKTaskClosedHighLabels in the text of instruction callsAndrei TatarnikovAndrei Tatarnikov2.25344MicroTESKTaskClosedUrgentMetamodel should provide information on argument types and whether they are in or out argumentsAndrei TatarnikovAndrei Tatarnikov2.24161MicroTESKBugRejectedNormalObserving the design state via addressing modesAndrei TatarnikovAndrei Tatarnikov2.24014MicroTESKBugClosedNormalObserving the design state via addressing modesAndrei TatarnikovA	5659	MicroTESK	Bug	Rejected	High	Function 'trace' should accept addressing modes as arguments	Andrei Tatarnikov	Andrei Tatarnikov	2.2
MicroTESKTaskClosedHighCode review notes (package ru.ispras.unitesk.processor.test.mmu)Andrei TatarnikovAlexander Protsenko2.25542MicroTESKBugClosedHighCreating instances of modes and ops: validity checks for arguments are neededAndrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25514MicroTESKBugClosedHighThe implementation of 'coerce' needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25403MicroTESKTaskClosedHighThe implementation of 'coerce' needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25300MicroTESKTaskClosedHighLabels in the text of instruction callsAndrei TatarnikovAndrei Tatarnikov2.25344MicroTESKTaskClosedHighLabels in the text of instruction callsAndrei TatarnikovAndrei Tatarnikov2.25344MicroTESKTaskClosedHighPrinting information on the model should be possibleAndrei TatarnikovAndrei Tatarnikov2.24101MicroTESKBugRejectedNormalObserving the design state via addressing modesAndrei TatarnikovAndrei Tatarnikov2.24014MicroTESKBugClosedNormalConcatenation in left hand side expressionsAndrei TatarnikovAndrei Tatarnikov2.2	5658	MicroTESK	Task	Closed	Normal	Need a single entry point for the translator and test generator subsystem	Andrei Tatarnikov	Andrei Tatarnikov	2.2
5542MicroTESKBugClosedHighCreating instances of modes and ops: validity checks for arguments are neededAndrei TatarnikovAndrei Tatarnikov2.25514MicroTESKBugClosedHighThe implementation of 'coerce' needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25403MicroTESKTaskClosedHighThe implementation of 'coerce' needs a reviewAndrei TatarnikovAndrei Tatarnikov2.25403MicroTESKTaskClosedNormalTest sequence generation logic (blocks, combinators, compositors) needs a reviewAndrei TatarnikovAlexander Kamkin2.25350MicroTESKTaskClosedHighLabels in the text of instruction callsAndrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25344MicroTESKTaskClosedUrgentMetamodel should provide information on argument types and whether they are in or out argumentsAndrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.24900MicroTESKTaskRejectedHighPrinting information on the model should be possibleAndrei TatarnikovAndrei Tatarnikov2.24161MicroTESKBugClosedNormalObserving the design state via addressing modesAndrei TatarnikovAndrei Tatarnikov2.24014MicroTESKBugClosedNormalConcatenation in left hand side expressionsAndrei TatarnikovAndrei Tatarnikov2.2	5650	MicroTESK	Bug	Rejected	High	Exception when no test situation is specified.	Andrei Tatarnikov	Andrei Tatarnikov	2.2
Indication<	5639	MicroTESK	Task	Closed	High	Code review notes (package ru.ispras.unitesk.processor.test.mmu)	Andrei Tatarnikov	Alexander Protsenko	2.2
5403MicroTESKTaskClosedNormalTest sequence generation logic (blocks, combinators, compositors) needs a reviewAndrei TatarnikovAlexander Kamkin2.25350MicroTESKTaskClosedHighLabels in the text of instruction callsAndrei TatarnikovAndrei TatarnikovAndrei Tatarnikov2.25344MicroTESKTaskClosedUrgentMetamodel should provide information on argument types and whether they are in or out argumentsAndrei TatarnikovAndrei Tatarnikov2.24900MicroTESKTaskRejectedHighPrinting information on the model should be possibleAndrei TatarnikovAndrei Tatarnikov2.24161MicroTESKBugRejectedNormalObserving the design state via addressing modesAndrei TatarnikovAndrei Tatarnikov2.24014MicroTESKBugClosedNormalConcatenation in left hand side expressionsAndrei TatarnikovAndrei Tatarnikov2.2	5542	MicroTESK	Bug	Closed	High	, , , , , , , , , , , , , , , , , , ,	Andrei Tatarnikov	Andrei Tatarnikov	2.2
And the baseAnd the base </td <td>5514</td> <td>MicroTESK</td> <td>Bug</td> <td>Closed</td> <td>High</td> <td>The implementation of 'coerce' needs a review</td> <td>Andrei Tatarnikov</td> <td>Andrei Tatarnikov</td> <td>2.2</td>	5514	MicroTESK	Bug	Closed	High	The implementation of 'coerce' needs a review	Andrei Tatarnikov	Andrei Tatarnikov	2.2
5344MicroTESKTaskClosedUrgentMetamodel should provide information on argument types and whether they are in or out argumentsAndrei TatarnikovAndrei Tatarnikov2.24900MicroTESKTaskRejectedHighPrinting information on the model should be possibleAndrei TatarnikovAndrei Tatarnikov2.24161MicroTESKBugRejectedNormalObserving the design state via addressing modesAndrei TatarnikovAndrei Tatarnikov2.24014MicroTESKBugClosedNormalConcatenation in left hand side expressionsAndrei TatarnikovAndrei Tatarnikov2.2	5403	MicroTESK	Task	Closed	Normal		Andrei Tatarnikov	Alexander Kamkin	2.2
And the second	5350	MicroTESK	Task	Closed	High	Labels in the text of instruction calls	Andrei Tatarnikov	Andrei Tatarnikov	2.2
4161MicroTESKBugRejectedNormalObserving the design state via addressing modesAndrei TatarnikovAndrei Tatarnikov2.24014MicroTESKBugClosedNormalConcatenation in left hand side expressionsAndrei TatarnikovAndrei Tatarnikov2.2	5344	MicroTESK	Task	Closed	Urgent		Andrei Tatarnikov	Andrei Tatarnikov	2.2
4014 MicroTESK Bug Closed Normal Concatenation in left hand side expressions Andrei Tatarnikov Andrei Tatarnikov 2.2	4900	MicroTESK	Task	Rejected	High	Printing information on the model should be possible	Andrei Tatarnikov	Andrei Tatarnikov	2.2
	4161	MicroTESK	Bug	Rejected	Normal	Observing the design state via addressing modes	Andrei Tatarnikov	Andrei Tatarnikov	2.2
3988 MicroTESK Task Rejected Normal Support for forward definitions in the nML translator Andrei Tatarnikov Andrei Tatarnikov 2.2	4014	MicroTESK	Bug	Closed	Normal	Concatenation in left hand side expressions	Andrei Tatarnikov	Andrei Tatarnikov	2.2
	3988	MicroTESK	Task	Rejected	Normal	Support for forward definitions in the nML translator	Andrei Tatarnikov	Andrei Tatarnikov	2.2

#	Project	Tracker	Status	Priority	Subject	Author	Assignee	Target version
7628	MicroTESK	Bug	Closed	Immediate	Methods 'dist' and 'range' are not supported in data sections	Andrei Tatarnikov	Andrei Tatarnikov	2.3
7534	MicroTESK	Task	Closed	High	Configuration option to manage reservation of explicitly specified registers	Andrei Tatarnikov	Andrei Tatarnikov	2.3
7463	MicroTESK	Bug	Closed	Urgent	Correct processing of block structures and code in the root of pre, post and run methods	Andrei Tatarnikov	Andrei Tatarnikov	2.3
7461	MicroTESK	Bug	Closed	Immediate	Block-level prologue and epilogue must stay prologue and epilogue when sequences are mixed	Andrei Tatarnikov	Andrei Tatarnikov	2.3
7385	MicroTESK	Bug	Closed	Immediate	The 'prepare' function does not work with randomly selected registers	Andrei Tatarnikov	Andrei Tatarnikov	2.3
7300	MicroTESK	Task	Closed	Urgent	More timing metrics in generation statistics	Andrei Tatarnikov	Andrei Tatarnikov	2.3
7298	MicroTESK	Task	Closed	Urgent	Command-line option to disable simulation on the reference model	Andrei Tatarnikov	Andrei Tatarnikov	2.3
7269	MicroTESK	Bug	Rejected	High	Returning from an exception in the last instruction in a test case	Andrei Tatarnikov	Andrei Tatarnikov	2.3
7012	MicroTESK	Task	Closed	High	Implement means of managing the use of registers in a test program	Andrei Tatarnikov	Andrei Tatarnikov	2.3
6973	MicroTESK	Task	Closed	High	Support for atomic sequences that will never be interrupted/reordered by a compositor/permutator	Andrei Tatarnikov	Andrei Tatarnikov	2.3
6910	MicroTESK	Bug	Closed	Immediate	The is_global flag for data sections	Andrei Tatarnikov	Andrei Tatarnikov	2.3
6455	MicroTESK	Bug	Closed	Urgent	Implement block-level prologue and epilogue	Andrei Tatarnikov	Andrei Tatarnikov	2.3
5716	MicroTESK	Task	Closed	High	Implement the possibility to process template code multiple times (e.g. atomic (:repeat => N) {})	Andrei Tatarnikov	Andrei Tatarnikov	2.3
5670	MicroTESK	Task	Closed	Normal	Examples of test templates using memory-related test situations (hit, miss)	Andrei Tatarnikov	Alexander Kamkin	2.3
5667	MicroTESK	Task	Closed	Urgent	Support splitting generated test programs into several source files	Andrei Tatarnikov	Andrei Tatarnikov	2.3
5657	MicroTESK	Task	Closed	High	A command line option for random seed	Andrei Tatarnikov	Andrei Tatarnikov	2.3
8939	MicroTESK	Feature	Closed	High	[autogen] New option 'base-template-path' must be supported.	Andrei Tatarnikov	Alexander Protsenko	2.4
8455	MicroTESK	Bug	Rejected	Normal	Test Document	Andrei Tatarnikov	Andrei Tatarnikov	2.4
8061	MicroTESK	Bug	Rejected	Normal	Position of all blocks, calls, data etc. in test templates must be tracked to provide better debugging	Andrei Tatarnikov	Andrei Tatarnikov	2.4
7690	MicroTESK	Bug	Closed	Urgent	Exception handler is not handled if it is not the first element in the list of exception describe in test templates	Andrei Tatarnikov	Andrei Tatarnikov	2.4
7418	MicroTESK	Bug	Closed	High	Reset the state of the model before starting generating a new test program fle	Andrei Tatarnikov	Alexander Kamkin	2.5
7251	MicroTESK	Bug	Rejected	High	A warning or error is needed when a value is truncated	Andrei Tatarnikov	Artem Kotsynyak	2.5
8481	MicroTESK	Task	New	Normal	Need a way to specify the termination address for the test program	Andrei Tatarnikov	Alexander Kamkin	2.6
8060	MicroTESK	Bug	New	Normal	Attributes image and syntax and static instances	Andrei Tatarnikov	Artem Kotsynyak	2.6
7678	MicroTESK	Task	New	Low	Generation of LLVM configuration files from nML specifications	Andrei Tatarnikov	Alexander Kamkin	2.6
7603	MicroTESK	Bug	New	Normal	List of plug-ins must be stored in etc/settings.xml	Andrei Tatarnikov	Alexander Kamkin	2.6
6911	MicroTESK	Bug	New	Normal	The "get_address_of" method must work with all label types.	Andrei Tatarnikov	Alexander Kamkin	2.6
6380	MicroTESK	Bug	New	Normal	Possibility to specify initial values for registers	Andrei Tatarnikov	Artem Kotsynyak	2.6

#	Project	Tracker	Status	Priority	Subject	Author	Assignee	Target version
5990	MicroTESK	Bug	New	Normal	Memory state must be taken into account when generating test data	Andrei Tatarnikov	Alexander Kamkin	2.6
5192	MicroTESK	Task	New	Normal	Assert constructions to check the model state during and after simulation	Andrei Tatarnikov	Alexander Kamkin	2.6
4061	MicroTESK	Task	New	Normal	Support for endianness	Andrei Tatarnikov	Alexander Kamkin	2.6
5312	TestBase	Task	Closed	High	TestBase.executeQuery should return some status description	Andrei Tatarnikov	Artem Kotsynyak	0.0
5463	Fortress	Bug	Closed	High	[S-expr] JavaDoc comments are needed	Andrei Tatarnikov	Artem Kotsynyak	0.3
5460	Fortress	Bug	Closed	High	[project] Get rid of warnings	Andrei Tatarnikov	Artem Kotsynyak	0.3
5217	Fortress	Bug	Closed	Normal	[expression] NodeBinding: hashCode and equals must be implemented	Andrei Tatarnikov	Artem Kotsynyak	0.3
5177	Fortress	Task	Closed	Normal	[solver] Implement function templates	Andrei Tatarnikov	Andrei Tatarnikov	0.3
5176	Fortress	Task	Closed	Normal	[expression] Possibility to calculate the expression type	Andrei Tatarnikov	Andrei Tatarnikov	0.3
4693	Fortress	Task	Closed	High	[data] Реализации операций над битовыми векторами (BitVector)	Andrei Tatarnikov	Andrei Tatarnikov	0.3
5819	Fortress	Task	Closed	High	Calculator for bit vectors	Andrei Tatarnikov	Artem Kotsynyak	0.4
5775	Fortress	Bug	Closed	Normal	BitVector.longValue returns incorrect values	Andrei Tatarnikov	Andrei Tatarnikov	0.4
5665	Fortress	Task	Closed	Urgent	Support for CVC4	Andrei Tatarnikov	Artem Kotsynyak	0.4
7759	TestBase	Bug	Closed	High	Avoid using lambda functions	Andrei Tatarnikov	Alexander Dyumaev	
6194	MicroTESK	Bug	Rejected	Normal	Automated extraction of addressable unit size	Andrei Tatarnikov	Andrei Tatarnikov	
5676	MicroTESK	Task	Closed	Urgent	[generator] Random generation - weighting / biasing distribution	Andrei Tatarnikov		
5654	MicroTESK	Task	Closed	Urgent	[template] User-defined seed for random generation	Andrei Tatarnikov	Andrei Tatarnikov	
4109	MicroTESK	Bug	Closed	Urgent	[template] Update needed: Test templates do not work after changes in Java.	Andrei Tatarnikov	Andrei Tatarnikov	
4104	MicroTESK	Task	Closed	Normal	[translator] Reset VAR values after an instruction call	Andrei Tatarnikov	Andrei Tatarnikov	
4015	MicroTESK	Bug	Closed	Normal	[translator] Shift and Rotate operations: negative distance	Andrei Tatarnikov	Andrei Tatarnikov	
3996	MicroTESK	Bug	Closed	Normal	[translator] Support for long types (64-bit) in expressions	Andrei Tatarnikov	Andrei Tatarnikov	
3995	MicroTESK	Bug	Closed	Normal	[translator] Support for bitfields using non-constant expressions	Andrei Tatarnikov	Andrei Tatarnikov	