

## MicroTESK - Bug #6911

### The "get\_address\_of" method must work with all label types.

03/01/2016 11:49 AM - Andrei Tatarnikov

<b>Status:</b>	New	<b>Start date:</b>	03/01/2016
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Alexander Kamkin	<b>% Done:</b>	0%
<b>Category:</b>	Test Engine	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	2.5	<b>Spent time:</b>	0.00 hour
<b>Detected in build:</b>	svn	<b>Published in build:</b>	
<b>Platform:</b>			
<b>Description</b>			
Currently, it is limited to labels defined in global data sections. It must support all kinds of label. It should return a lazy value instead of a constant.			

### History

#### #1 - 07/19/2016 06:55 PM - Andrei Tatarnikov

- Priority changed from Normal to Urgent

#### #2 - 01/15/2020 01:17 PM - Alexander Kamkin

- Priority changed from Urgent to High

#### #3 - 01/15/2020 01:21 PM - Alexander Kamkin

- Target version changed from 2.3 to 2.5

- Assignee changed from Andrei Tatarnikov to Alexander Kamkin

- Category set to Test Engine

#### #4 - 01/23/2020 11:30 AM - Alexander Kamkin

- Priority changed from High to Normal